





# 52

## Coagulation Analyzer

### General Features

Parameters: PT, APTT, TT, FIB, etc.  
Principle: Clotting, optical method  
Disposable cuvette, no carry-over  
Precise electronic pipette  
Languages: English, French, Spanish, Portuguese, etc.  
Automatic start at reagent addition  
Thermal printer, auto&manual print  
Support LIS  
Less and easy maintenance

2 independent channels  
Display: 5-inch screen  
Cuvette incubation positions: 12  
Reagent incubation positions: 5  
Size: 345mm × 325mm × 145mm  
Net weight: 4.4kg

### Technical Specifications

Wavelength: LED 470nm  
Memory: 10,000 results storage  
Input: Keypad  
Sample volume: 20-40 $\mu$ L  
Reagent volume: 20-40 $\mu$ L  
Electronic pipette: 20-200 $\mu$ L  
Available dimensions: Seconds, mg/dL, g/L, U/L  
Incubation temperature: 37.0 $\pm$ 1.0 $^{\circ}$ C  
Relative humidity:  $\leq$ 85%  
Precision: PT, APTT, FIB  $\leq$  5%; TT  $\leq$  8% (Normal sample)  
Deviation between channels:  $\leq$  5%  
Power supply: AC 100-240V 50/60Hz  
CE marked

